

Errata for §170.302 (d) Maintain active medication list

The purpose of this document is to record known technical corrections to v1.1 of the Maintain Active Medication List test procedure. Errata for other test procedures are located in separate documents. Each erratum entry includes the following information:

- Entry number
- The date the errata was added to the document
- The test procedure version and date published
- The test procedure section
- A description of the correction
- The text prior to the revision and the revised text

1. Technical Correction to Informative Test Description

Date: December 3, 2010

TP Version: Version 1.1, September 24, 2010

TP Section: Informative Test Description, page 2

Description: Corrected verbiage in explanation about the method used to modify the medication list.

Text Prior to Revision:

Informative Test Description

The test procedure is not prescriptive about the method used to modify the problem list. For example, modifying a medication list does not require modifying an existing instance of a medication. Modification can be accomplished through discontinuing/inactivating an existing medication on the list and entering a new instance of the medication.

Revised Text:

Informative Test Description

The test procedure is not prescriptive about the method used to modify the **medication** list. For example, modifying a medication list does not require modifying an existing instance of a medication. Modification can be accomplished through discontinuing/inactivating an existing medication on the list and entering a new instance of the medication.

2. Technical Correction to Normative Test Procedures – Ambulatory Setting

Date: December 3, 2010

TP Version: Version 1.1, September 24, 2010

TP Section: Normative Test Procedures – Ambulatory Setting, page 4

Description: Changed verbiage in TE170.302.d – 1.01 to provide clarification on test data selection.

Text Prior to Revision:

DTR170.302.d – 1: Electronically Record Patient Active Medication List in an Ambulatory Setting

Required Test Procedure:

TE170.302.d – 1.01: Tester shall select patient active medication data from NIST-supplied test data set TD170.302.d – 1

Revised Text:

DTR170.302.d – 1: Electronically Record Patient Active Medication List in an Ambulatory Setting

Required Test Procedure:

TE170.302.d – 1.01: Tester shall select patient active medication data from **one** NIST-supplied test data set TD170.302.d – 1

3. Technical Correction to Normative Test Procedures – Ambulatory Setting

Date: December 3, 2010

TP Version: Version 1.1, September 24, 2010

TP Section: Normative Test Procedures – Ambulatory Setting, page 5

Description: Changed verbiage in TE170.302.d – 2.01 to provide clarification on test data selection.

Text Prior to Revision:

DTR170.302.d – 2: Electronically Modify Patient Active Medication List in an Ambulatory Setting

Required Test Procedure:

TE170.302.d – 2.01: Tester shall select patient medication test data from NIST-supplied test data set TD170.302.d – 2

Revised Text:

DTR170.302.d – 2: Electronically Modify Patient Active Medication List in an Ambulatory Setting

Required Test Procedure:

TE170.302.d – 2.01: Tester shall select patient medication test data from **one** NIST-supplied test data set TD170.302.d – 2

4. Technical Correction to Normative Test Procedures – Inpatient Setting

Date: December 3, 2010

TP Version: Version 1.1, September 24, 2010

TP Section: Normative Test Procedures – Inpatient Setting, page 7

Description: Changed verbiage in TE170.302.d – 4.01 to provide clarification on test data selection.

Text Prior to Revision:

DTR170.302.d – 4: Electronically Record Patient Active Medication List in an Inpatient Setting

Required Test Procedure:

TE170.302.d – 4.01: Tester shall select patient active medication data from NIST-supplied test data set TD170.302.d – 4

Revised Text:

DTR170.302.d – 4: Electronically Record Patient Active Medication List in an Inpatient Setting

Required Test Procedure:

TE170.302.d – 4.01: Tester shall select patient active medication data from **one** NIST-supplied test data set TD170.302.d – 4

5. Technical Correction to Normative Test Procedures – Inpatient Setting

Date: December 3, 2010

TP Version: Version 1.1, September 24, 2010

TP Section: Normative Test Procedures – Inpatient Setting, page 7

Description: Changed verbiage in TE170.302.d – 5.01 to provide clarification on test data selection.

Text Prior to Revision:

DTR170.302.d – 5: Electronically Modify Patient Active Medication List in an Inpatient Setting

Required Test Procedure:

TE170.302.d – 5.01: Tester shall select patient medication test data from NIST-supplied test data set TD170.302.d – 5

Revised Text:

DTR170.302.d – 5: Electronically Modify Patient Active Medication List in an Inpatient Setting

Required Test Procedure:

TE170.302.d – 5.01: Tester shall select patient medication test data from **one** NIST-supplied test data set TD170.302.d – 5